




ALL DRAWINGS ARE PROTECTED BY FEDERAL COPYRIGHT BY MANNS WOODWARD STUDIOS, INC. AND CAN NOT BE USED IN PART OR WHOLE TO DEVELOP THE DESIGN OF ANOTHER BUILDING WITHOUT EXPRESS WRITTEN PERMISSION BY MANNS WOODWARD STUDIOS.

ODE	PLAN LEGEND
	ROOM INFORMATION TAG
	A = OCCUPANTS B = ACTUAL EGRESS WIDTH C = REQUIRED EGRESS WIDTH
	ILLUMINATED "EXIT" SIGN
	ILLUMINATED "EXIT" SIGN W/ DIRECTION INDICATOR
	EMERGENCY LIGHTING
9 N	RATED WALL TAG
	RECESSED FIRE EXTINGUISHER & CABINET
_	SMOKE PARTITION
-	1/2 HOUR RATED
-	1 HOUR RATED
-	2 HOUR RATED
_	3 HOUR RATED









REFERENCE NOTES: 1. SEE A1.4 THROUGH A1.9 FOR DIMENSION PLANS & PARTITION INFORMATION. 2. SEE A5 SERIES FOR ROOF PLAN & DETAILS. 3. SEE AG SERIES FOR OPENING SCHEDULE, DETAILS & ELEVATIONS. 4. SEE AG SERIES FOR FINISH PLANS, SCHEDULES & DETAILS. 5. SEE A8 SERIES FOR REFLECTED CEILING PLANS & DETAILS. 6. SEE A9 SERIES FOR MISCELLANEOUS DETAILS. 7. SEE A1.10 FOR COURTYARD/SITE LAYOUT & DETAILS. 1. G.C SHALL COORDINATE LOCATION, PLAN DIMENSIONS, DEPTHS/HEIGHTS & REINFORCING FOR ALL REQUIRED SLAB DEPRESSION & HOUSE KEEPING PADS WITH PRODUCT/EQUIPMENT SUPPLIERS & THESE DRAWINGS. 2, INSTALL 24" LONG #4 DOWELS @ 12" O.C. BETWEEN INTERIOR CONCRETE SLAB ON - GRADE & EXTERIOR CONCRETE SLAB ON 3. G.C. SHALL INSTALL MIN. 3/4" THICK PLYWOOD BLOCKING FOR ALL WALL HUNG ITEMS SHOWN IN DRAWINGS, INCLUDING BUT NOT LIMITED TO ITEMS N.I.C. OR PROVIDED BY OWNER. 4. ALL SEMI-CONCEALED AND SEMI-EXPOSED SPACES BEHIND GRILLES, GRATES, CANVAS, & MILLWORK TO BE PAINTED FLAT 5. ALL EXPOSED WOOD TO BE FINISH GRADE, SANDED SMOOTH AND STAINED. ALL FINISH LUMBER SHALL BE FREE OF I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED VISUAL BOWS, CHECKS, CROOKS, CUPS, SHAKES, SPLITS, TWISTS, WAYNES, AND MACHINE BOWS. PROFESSIONAL ARCHITECT UNDER THE LAWS OF THE STATE OF MARYLAND. LICENSE NUMBER: #15505 EXPIRATION DATE: 8-18-2014 (.MWSARCH.COM (P) 410-344-1460 (F) 443-403-2460 **TUDIOS** ARD SI MASTER I 64 - Toilet Compartments - 5 EA HIA RD <u>a</u>. (N N mΩ **RCHITECTURE** $\Omega \lesssim$ PHILA RSH, **N N** Ω ∢ фШ ΜE AR 80 H N ARY FIRST FLOOR REFERENCE PLAN HARFORD COUNTY PUBLIC LIBRAF HAVRE DE GRACE LIBRARY 120 NORTH UNION AVENUE HAVRE DE GRACE, MD 21078 I NO. DESCRIPTION DATE PROJECT NUMBER: 13-026 PROJECT SET: BID DOCUMENTS DATE ISSUED: 7.23.14 DRAWING TITLE: FIRST FLOOR REFERENCE PLAN Takeoff By: Anuj SHEET NUMBER: **Checked By: Naresh** A1.1 Date: 1st June, 2016

BID DOCUMENTS






<u>GENERAL NOTES:</u>


BLACK.

GRADE @ EACH EXTERIOR DOOR.



BID DOCUMENTS

sh Date: 1st June, 2016



	SO	SNI
		PLANN
	N.	ASTER
	VAR	SS W
	MANNS WOODWARD STUDIOS	ARCHITECTURE INTERIORS MASTER PLANNING
	N N	RE IN
	N S N	
	MAN	ARCHI
	AN	ARY

GRILLES, GRATES, CANVAS, & MILLWORK TO BE PAINTED FLAT SMOOTH AND STAINED. ALL FINISH LUMBER SHALL BE FREE OF VISUAL BOWS, CHECKS, CROOKS, CUPS, SHAKES, SPLITS, TWISTS, WAYNES, AND MACHINE BOWS.

GENERAL NOTES: 1. G.C SHALL COORDINATE LOCATION, PLAN DIMENSIONS, DEPTHS/HEIGHTS & REINFORCING FOR ALL REQUIRED SLAB DEPRESSION & HOUSE KEEPING PADS WITH PRODUCT/EQUIPMENT SUPPLIERS & THESE DRAWINGS.

2. SEE A5 SERIES FOR ROOF PLAN & DETAILS.

6. SEE A9 SERIES FOR MISCELLANEOUS DETAILS. 7. SEE A1.10 FOR COURTYARD/SITE LAYOUT & DETAILS.

2. INSTALL 24" LONG #4 DOWELS @ 12" O.C. BETWEEN INTERIOR CONCRETE SLAB ON - GRADE & EXTERIOR CONCRETE SLAB ON GRADE @ EACH EXTERIOR DOOR.

3. G.C. SHALL INSTALL MIN. 3/4" THICK PLYWOOD BLOCKING

FOR ALL WALL HUNG ITEMS SHOWN IN DRAWINGS, INCLUDING

4. ALL SEMI-CONCEALED AND SEMI-EXPOSED SPACES BEHIND

BUT NOT LIMITED TO ITEMS N.I.C. OR PROVIDED BY OWNER.

A

(**B**)

(**D**

BLACK. 5. ALL EXPOSED WOOD TO BE FINISH GRADE, SANDED

REFERENCE NOTES: 1. SEE A1.4 THROUGH A1.9 FOR DIMENSION PLANS & PARTITION INFORMATION.

3. SEE A6 SERIES FOR OPENING SCHEDULE, DETAILS & ELEVATIONS.

4. SEE A6 SERIES FOR FINISH PLANS, SCHEDULES & DETAILS. 5. SEE A8 SERIES FOR REFLECTED CEILING PLANS & DETAILS.

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ARCHITECT UNDER THE LAWS OF THE STATE OF MARYLAND.

LICENSE NUMBER: #15505 EXPIRATION DATE: 8-18-2014

(.MWSARCH.COM (P) 410-344-1460 (F) 443-403-2460

LPHIA RD 21162 ďΩ δS PHILA ARSH, J Ω

фШ

ΜE

⁸ ⁴ ⁴

SECOND FLOOR REFERENCE PLAI HARFORD COUNTY PUBLIC LIBRA HAVRE DE GRACE LIBRARY 120 NORTH UNION AVENUE HAVRE DE GRACE, MD 21078

PROJECT NUMBER: 13-026 PROJECT SET: BID DOCUMENTS DATE ISSUED: 7.23.14

DESCRIPTION

NO.

DATE


DRAWING TITLE: SECOND FLOOR REFERENCE PLAN

(**G**)


(**H**


CASEWORK DUCT ENCLOSURE, TYP. OF 4


6 A2.1



Takeoff By: Anuj Checked By: Nares








estroom 106

Schedule




	7	PT-6	
	, / ·		
		CRUCERE	_[CWT -
		GB4 GB5	
e) 2			
പ്			– [cw⊺ -

	GB1	GRA
and the second	GB2	GRA
	GB3	GRA
	GB4	GRA
GB5 CWT-2	GB5	GRA
	GB6	GRA
CWT-2	(SP1	SEA
CWT-2	SS1	FOLD
	(E)	HANI
•	SC1	SHO
	(US1)	МОР

TAG	FIXTURE / ACCESSORY
(PT1)	PAPER TOWEL DISPENSER/DISPOS
PT2	PAPER TOWEL DISPENSER
	LIQUID SOAP DISPENSER
WC1	WASTE CONTAINER
MR1	WALL MOUNTED MIRROR 18" X 48"
TP1	TOILET PAPER DISPENSER - OVER L
TP2	TOILET PAPER DISPENSER - SIDE B'
SN1	SANITARY NAPKIN DISPOSAL - SUI
SN2	SANITARY NAPKIN DISPOSAL - TW
GB1	GRAB BAR - 18"
GB2	GRAB BAR - 24"
GB3	GRAB BAR - 30"
GB4	GRAB BAR - 36"
GB5	GRAB BAR - 42"
GB6	GRAB BAR - 48"
SP1	SEAT COVER DISPENSER
SS1	FOLDING SHOWER SEAT
HD1	HAND DRYER
SC1	SHOWER CURTAIN
US1	MOP HOLDER/ SHELF
DC1	WALL MOUNTED DIAPER CHANGING
	RECESSED DIAPER CHANGING STA
SP1	SOAP DISH
NOTE: M	IOUNT ALL FIXTURES IN ACCORDANC

Schedule



BID DOCUMENTS


Takeoff By: Anuj Checked By: Naresh
Data (st luna 2016

Date: 1st June, 2016

FLOATING SEAL @ FLOOR, TYP. LINE OF FINISH FLOOR, TYP. **CLG DETAIL - OPERABLE PARTITION TRACK DETAIL**

- CONC. SLAB, TYP. HOLD GWB 1/2" FROM UNDERSIDE OF DECK, FILL GAP W/ ACOUSTIC SEALANT, TYP. DEFLECTION TRACK, TYP. - STEEL STRUCTURE, TYP. STEEL ANGLE & STRUCTURAL TEE, SEE STRUCTURAL DWGS, TYP. - 3 5/8" MTL STUDS W/ (2) LAYERS OF 5/8" GWB, TYP. - 2x2 CLIP ANGLE, TYP. ACT CLG PER RCP, TYP. E LAP BATTS OVER GAP @ DOOR, TYP. GWB BULKHEAD TERMINATE GWB W. DRYWALL STOP, TYP. O.P.P. TRACK ASSEMBLY, INSTALL PER MANUF. RECOMMENDATIONS, TYP. OPERABLE PANEL PARTITION (O.P.P), TYP.

EGEND - CEILING LEGEND





DATE

PROJECT NUMBER: 13-026


DATE ISSUED: 7.23.14

SHEET NUMBER:

PROJECT SET: BID DOCUMENTS

DRAWING TITLE: REFLECTED CEILING PLAN

A8.1



ALL DRAWINGS ARE PROTECTED BY FEDERAL COPYRIGHT BY MANNS WOODWARD STUDIOS, INC. AND CAN NOT BE USED IN PART OR WHOLE TO DEVELOP THE DESIGN OF ANOTHER BUILDING WITHOUT EXPRESS WRITTEN PERMISSION BY MANNS WOODWARD STUDIOS.

NOTES
-
-
-
-
CTR ON LAV
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

STATION	-		PT-7	PAINT - EGGSHELL
			PT-7A	PAINT - SEMI-GLOSS
ION	-		CWT-1	CERAMIC WALL TILE 6X24
			CWT-2	CERAMIC WALL TILE
	-		CWT-3	CERAMIC WALL TILE
			HPC-1	HIGH PERFORMANCE COATING
	REQUIREMENTS.		HPC-2	HIGH PERFORMANCE COATING
	REQUIRELIENTS.		HPC-3	HIGH PERFORMANCE COATING
			CR-1	PROFILE VINYL/RUBBER CHAIR
Γ (ΤΥΡ			RT-1	RUBBER TRIM
• • • • •			FRP-1	FIBERGLASS REINFORCED PLA
			SW-1	SPECIALTY WALL PANEL
		CEILING		
			CL-1	ACOUSTIC CEILING TILE
			CL-2	ACOUSTIC CEILING TILE
			CL-3	EXPOSED CEILING
			CL-4	PAINTED GWB
			CL-5	STAINED WOOD
		MISC.		
			SS-1	SOLID SURFACE
			55-2	SOLD SURFACE
			QS-1	QUARTZ SURFACE
			QS-2	QUARTZ SURFACE
			PL-1	PLASTIC LAMINATE
•			PL-2	PLASTIC LAMINATE
e			PL-3	PLASTIC LAMINATE
_			PL-4	PLASTIC LAMINATE
			PL-5	PLASTIC LAMINATE
			PL-6	PLASTIC LAMINATE
			SHM-1	SELF-HEALING MAT (LINOLEUM
			ST-1	STAN COLOR
- 1 EA			TP-1	TOILET PARTITION COLOR
			MSH-1	METAL MESH PANEL
			TF-1	LOOSELY TENSIONED FABRIC
			ROP-1	2' BRAIDED MANILA ROPE
			TK-1	TACKBOARD
			3F-1	RESIN PANEL
			95 0	

ver Under - 1 EA
EA
A
X 48" - 1 EA

CARPET TILE CARPET TILE CARPET TILE CARPET TILE CERAMIC TILE 6X24 CERAMIC TILE 12X24 GRAPHIC FLOORING LUXURY VINYL TILE RUBBER CORK FLOORING RUBBER CORK - LANDING TILE RUBBER CORK - STAIR TREADS RUBBER CORK - RISERS SEALED CONCRETE STAINED CONCRETE STAINED CONCRETE STAINED CONCRETE STAINED CONCRETE STAINED CONCRETE STAINED CONCRETE STAMPED CONCRETE WALK OFF MAT MNYL COMPOSITION TILE STATIC DISSIPATED TILE PAINT - EGGSHELL PAINT - SEMI-GLOSS PAINT - EGGSHELL PAINT - SEMI-GLOSS PAINT - EGGSHELL PAINT - FLAT PAINT - SEMI-GLOSS PAINT - EGGSHELL PAINT - SEMI-GLOSS IR RAIL ASTIC PANEL JM SHEET FLRG.) RESIN PANEL RESIN PANEL

DESCRIPTION

FULL HEIGHT WOOD STUD RIPPED TO SIZE, SET IN CHANNEL OF METAL STUDS W/ FASTENERS @ 24" VERTICALLY, TYP.

TYP EXTERIOR WALL ASSEMBLY, TYP.

> Takeoff By: Anuj **Checked By: Naresh** Date: 1st June, 2016

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME. AND THAT I AM A DULY LICENSED PROFESSIONAL ARCHITECT UNDER TH LAWS OF THE STATE OF MARYLAND, LICENSE NUMBER: #15505 EXPIRATION DATE: 8-18-2014 WSARCH.COM 410-344-1460 443-403-2460 S CO TUDIO PLANNING ARD S' MASTER N C C 4 RS RS N N A L 2 ΠQ CHITECTURE ΩS RSH, S 2 \mathbf{Z} Q S ∢ фщ ΜE AR 8 H ENLARGED PLANS & INT. ELEV. HARFORD COUNTY PUBLIC LIBRARY HAVRE DE GRACE LIBRARY 120 NORTH UNION AVENUE HAVRE DE GRACE, MD 21078 NO. DESCRIPTION DATE PROJECT NUMBER: 13-026 PROJECT SET: BID DOCUMENTS DATE ISSUED: 7.23.14 DRAWING TITLE: ENLARGED PLANS & INT. ELEV. SHEET NUMBER: A7.9